Notice of Allowability	Application No.	Applicant(s)
	10/627,048	TASHEV, IVAN
	Examiner	Art Unit
	Brian T. Pendleton	2615
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>new application on 7/25/03</u> .		
2. ☑ The allowed claim(s) is/are <u>1-31</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 5. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Pa 6. Interview Summary (Paper No./Mail Date 7. Examiner's Amendm 8. Examiner's Statemen 9. Other	(PTO-413), e

Art Unit: 2615

DETAILED ACTION

Page 2

Allowable Subject Matter

Claims 1-31 are allowed.

The following is an examiner's statement of reasons for allowance: The closest prior art of record, Rajan, US Patent Application Publication 2002/0150263, Baumhauer, Jr. et al. US Patent 5,515,445 and Rosca et al, US Patent 7,088,831 does not teach nor suggest establishing an approximation function that characterizes the relationship between the locations of the microphones and their computed energy values and the using the function to estimate the energy of each frame and computing an estimated gain that compensates for the difference between the computed energy of the frame and its estimated energy. Rajan discloses a signal processing system comprising a microphone array 5-1 to 5-3 for inputting a set of audio frames and a spectrogram processing module 33 for determining the time delay between the microphones. As show in figure 6, there is a plot of the time delays versus distance between the microphones which is used to estimate the direction of arrival associated with the audio frames. However, there is no disclosure nor suggestion of establishing an approximation function and computing an estimated gain that compensates for the difference between the computed energy and estimated energy, as required by independent claims 1, 14, and 27. Baumhauer, Jr. et al teach a system for matching the sensitivities of microphones comprising a microphone array 101, 105 and processor 104. There is no teaching of a direction of arrival associated with an audio frame set. Rosca et al disclose a system for audio source separation comprising a calibration module for accounting for the dissimilar microphones in a microphone array. However the reference does not disclose

Art Unit: 2615

nor suggest estimating energy in an audio frame and estimating gain based on computed energy and estimated energy.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian T. Pendleton whose telephone number is (571) 272-7527. The examiner can normally be reached on M-F 7-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on (571) 272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/627,048

Art Unit: 2615

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Brian T. Pendleton Primary Examiner Art Unit 2615

20.2

btp